

Southwest Cable Railing



ABOUT US

OUR COMPANY

Southwest Cable Railing has been in the cable rail industry business since 2012. We provide high quality products, flexibility on pricing and excellent customer service to meet all customer needs. We import all of our products direct from one of high-quality products factory from Asia. Our business is growing fast, due to our high-quality products and competitive pricing plus the loyalty and honesty we provide to our customers to build up an ongoing friendship. We have one of the largest inventory stock on all cable railing products in the west coast. With the most varieties of cable rail product lines to satisfy our customer needs. Our product lines are all marine grade Type 316 stainless steel that includes: United Coarse Thread – “UNC” & United Fine Thread – “UNF” on all machine swage fittings up to 1/2” cable and hand swage fittings up to 1/4” cable; wrench flat and lifeline as well. We can also import any “special made” customer products. Please feel free to contact us with any inquiries or questions.

TERMS OF USE

Southwest Cable Railing diligently strives to provide as accurate information as possible. However, as all specifications and descriptions are done manually some of the information, including price, descriptions, specifications, and/or quantities may not be 100% accurate. The product pictures are used only for reference and may differ slightly from the actual appearance of the product. Pictures are representational only. Packaging of actual unit may vary. Photos, drawings and logos not to be reproduced without the express written consent of ***Southwest Cable Railing***.

HEADQUARTERS:

116 East Live Oak Ave #847

Arcadia, CA 91006

Telephone: 626-806-8773

www.swcablerailing.com

Please contact us anytime.

We will be happy to assist you with any inquiries.


TABLE OF CONTENTS

CABLES	1
TOOLS	2-3
SWAGE STUDS	4-11
INVISIBLE FITTING	12-18
TOGGLE FITTINGS	19-20
THREADED FITTINGS	21-24
NUTS AND WASHERS	25-31
TURNBUCKLE FITTINGS	32-43
RAPID LOCK (SWAGELESS)	44
BLACK OXIDE FITTINGS	45-54
REFERENCE INFORMATION	55-57

INDEX

1X19 CABLE	P1	7X19 CABLE	P1	HS TOOL	P2	HS TOOL	P2	HS TOOL	P2
									
CABLE CUTTER	P2	CABLE CUTTER	P3	MACHINE SWAGER	P3	MACHINE SWAGER	P3	HS STUDS	P4
									
MS STUD	P5	HS LIFE LINE STUD	P6	MS LIFE LINE STUD	P7	HS LAG STUD	P8	HS DROP PIN STUD	P8
									
HS ADJUSTABLE STUD	P9	MS ADJUSTABLE STUD	P9	MS RESCUE STUD	P10	HS/MS ANGLE STUD	P10	HS/MS MARINE EYE	P11
									
INVISIBLE RECEIVER	P12	HS/MS INVISIBLE STUD	P12	HS/MS DOME	P13	DOME RECEIVER	P14	HS ROUND DOME STUD	P14
									


INDEX

HS/MS STEMBALL FOR METAL POST	P15	HS/MS STEMBALL FOR WOOD POST	P15	STEM HEAD INVISIBLE RECEIVER	P16	HS/MS STEM HEAD STUD	P16	STREAMLINE RECEIVER	P17
									
STREAMLINE STUD	P17	1/4" STREAMLINE SET	P18	STREAMLINE STUD THICK WALL	P18	STREAMLINE STUD MOS ₂ COATING	P18	HS/MS SWAGE TOGGLE JAW	P19
									
HS/MS DECK TOGGLE	P19	HS/MS SWAGE JAW	P20	THREADED ROD	P21	THREADED LAG (HANGER BOLT)	P21	THREADED EYE TAB	P22
									
THREADED DECK TOGGLE	P22	THREADED TOGGLE	P23	THREADED JAW	P23	THREADED DROP PIN	P24	THREADED DOME	P24
									
ANGLED WASHER	P25	STANDOFF FOR ROUND POST	P25	ANGLED WASHER FOR ROUND POST	P26	COUNTERSUNK ANGLED WASHER ROUND POST	P26	COUNTERSUNK ANGLED WASHER	P27
									

INDEX

FLAT WASHER	P27	CAP NUT	P28	STREAMLINE CAP	P28	HEX NUT	P29	DOME END CAP	P29
									
FLAT DOME CAP	P30	ROUND DOME CAP	P30	BALL END CAP	P30	PROTECTIVE SLEEVES	P31	CROSS CABLE CLIP	P31
									
WOOD SCREW	P31	PIPE BODY TURNBUCKLE	P32	HS/MS STUD & STUD TB	P33	HS/MS LL STUD & STUD TB	P34	HS/MS ROD & STUD TB	P35
									
HS/MS ROD & LL STUD TB	P36	HS/MS LAG & STUD TB	P37	HS/MS LAG & LL STUD TB	P37	HS/MS DROP PIN & STUD TB	P38	HS/MS DROP PIN & LL STUD TB	P38
									
HS/MS TOGGLE & STUD TB	P39	HS/MS TOGGLE & LL STUD TB	P39	HS/MS DECK TOGGLE & STUD TB	P40	HS/MS DECK TOGGLE & LL STUD TB	P40	HS/MS JAW & STUD TB	P41
									

INDEX

HS/MS JAW & STUD TB	P41	JAW & JAW TB	P42	TOGGLE JAW & TOGGLE JAW TB	P42	MARINE EYE & EYE TB	P43	RAPID LOCK (SWAGE LESS)	P44
									
RAPID LOCK CAP	P44	HEX NUT – RAPID LOCK CAP	P44	HS STUD	P45	HS LL STUD	P45	HS LAG STUD	P45
									
HS DROP PIN STUD	P46	STREAMLINE 3/16"	P46	HD DOME STUD	P47	HS INVISIBLE STUD & RCVR	P47	ROUND DOME RECEIVER	P47
									
HS ROUND DOME STUD	P48	HS TOGGLE JAW	P48	HS JAW	P48	HS DECK TOGGLE	P48	HS/MS JAW & STUD TB	P49
									
HS/MS JAW & LL STUD TB	P49	HS/MS TOGGLE JAW & STUD TB	P49	HS/MS TOGGLE JAW & LL STUD TB	P49	HS/MS DECK TOGGLE & LL STUD TB	P50	HS/MS DECK TOGGLE & STUD TB	P50
									

INDEX

[illegible]

CABLES

1X19 STAINLESS STEEL T316 MARINE GRADE LOW CARBON CABLE

 				
PART NO.	SIZE	CONSTRUCTION	WLL (LBS)	APPROX. WT/100FT (LBS)
T6WR119-18L	1/8"	1x19	420	3.50
T6WR119-316L	3/16"	1x19	940	7.70
T6WR119-14L	1/4"	1x19	1,640	13.50

**** 1/4" NON-LOW CARBON ALSO AVAILABLE****

7X19 STAINLESS STEEL T316 MARINE GRADE LOW CARBON CABLE

 				
ITEM	SIZE	CONSTRUCTION	WLL (LBS)	APPROX. WT/100FT (LBS)
T6WR719-18L	1/8"	7x19	350	2.90
T6WR719-316L	3/16"	7x19	740	6.50
T6WR719-14L	1/4"	7x19	1280	11lb

Available in the following reel sizes: 500ft – 1,000ft, (2,500FT 1/4" 1X19 ONLY) & 5,000ft

Low Carbon for long lasting against Rust and Corrosion.


TOOLS

HAND SWAGE TOOL FOR 1/8" CABLE STUD FITTINGS



PART NO.	CABLE SIZE	# OF CAVITY	TOTAL LENGTH	NET WT. (LBS)
SST-1-17	1/8"	1	17"	2.20

HAND SWAGE TOOL FOR 1/8" & 3/16" CABLE STUD FITTINGS



PART NO.	CABLE SIZE	# OF CAVITY	TOTAL LENGTH	NET WT. (LBS)
SST-2	1/8" & 3/16"	2	22.50"	4.50

HAND SWAGE TOOL FOR 1/8" & 3/16" & 1/4" CABLE STUD FITTINGS



PART NO.	CABLE SIZE	# OF CAVITY	TOTAL LENGTH	NET WT. (LBS)
SST-3	1/8" & 3/16" & 1/4"	3	30"	8.80

WIRE ROPE & CABLE CUTTER FOR UP TO 1/2" SIZE



PART NO.	CABLE SIZE	TOTAL LENGTH	NET WT. (LBS)
WC-15.4	UP TO 1/2"	18-1/2"	3.30

TOOLS

WIRE ROPE & CABLE CUTTER FOR UP TO 1/8" SIZE



PART NO.	CABLE SIZE	TOTAL LENGTH	NET WT. (LBS)
WC-8	UP TO 1/8"	8	1.00

HYDRAULIC MACHINE SWAGER (30 TONS) FOR UP TO 3/16" SIZE STUDS



PART NO.	STUD SIZE	DIES INCLUDED	NET WT. (LBS)
HD-30SET	UP TO 3/16"	2	101


HYDRAULIC MACHINE SWAGER (60 TONS) FOR UP TO 1/4" SIZE STUDS



PART NO.	STUD SIZE	DIES INCLUDED	NET WT. (LBS)
HD-30SET	UP TO 1/4"	3	143

SWAGE STUDS


HAND SWAGE – WRENCH FLAT STUD AND LONG STUD – STAINLESS STEEL T316



PART NO.	A (THREAD)	B (CABLE SIZE)	C	L
T6HSST14-18L (Left)	1/4" - 20	1/8"	2"	4"
T6HSST14-18R (Right)	1/4" - 20	1/8"	2"	4"
T6HSST14-316L (Left)	1/4" - 20	3/16"	2-1/2"	4-1/4"
T6HSST14-316R (Right)	1/4" - 20	3/16"	2-1/2"	4-1/4"
T6HSST516-14R (Right)	5/16" - 18	1/4"	3-3/16"	5-1/2"
T6HSST516-14L (Left)	5/16" - 18	1/4"	3-3/16"	5-1/2"
<u>LONG STUD – RIGHT HAND ONLY</u>				
T6HSST14-18-5R (RIGHT)	1/4" - 20	1/8"	2-1/16"	5"
T6HSST14-18HSXL7.5	1/4" - 20	1/8"	2"	7-1/2"
T6HSST14-18HSXL (Extra Long)	1/4" - 20	1/8"	2"	10"
T6HSST14-316-5.63R (Right)	1/4" - 20	3/16"	2-3/8"	5-5/8"
T6HSST14-316HSXL8.0	1/4" - 20	3/16"	2-7/16"	8"
T6HSST14-316HSXL (Extra Long)	1/4" - 20	3/16"	2-7/16"	10"
T6HSST516-14HSXL (Right)	5/16" - 18	1/4"	3-3/16"	10"

SWAGE STUDS


MACHINE SWAGE – WRENCH FLAT STUD AND LONG STUD – STAINLESS STEEL T316



PART NO.	A (THREAD)	B (CABLE SIZE)	C	L
T6MSST14-18L (Left)	1/4" - 20	1/8"	2"	4"
T6MSST14-18R (Right)	1/4" - 20	1/8"	2"	4"
T6MSST14-532L (Left)	1/4" - 20	5/32"	2-7/16"	4-3/8"
T6MSST14-532R (Right)	1/4" - 20	5/32"	2-7/16"	4-3/8"
T6MSST14-316L (Left)	1/4" - 20	3/16"	2-3/8"	4-1/4"
T6MSST14-316R (Right)	1/4" - 20	3/16"	2-3/8"	4-1/4"
T6MSST516-316L (Left)	5/16" - 18	3/16"	2-9/16"	4-7/8"
T6MSST516-316R (Right)	5/16" - 18	3/16"	2-9/16"	4-7/8"
T6MSST516-14L (Left)	5/16" - 18	1/4"	3-1/8"	5-1/2"
T6MSST516-14R (Right)	5/16" - 18	1/4"	3-1/8"	5-1/2"
T6MSST38-316L (Left)	3/8" - 16	3/16"	2-9/16"	5-11/32"
T6MSST38-316R (Right)	3/8" - 16	3/16"	2-9/16"	5-11/32"
T6MSST38-14L (Left)	3/8" - 16	1/4"	3-3/16"	6"
T6MSST38-14R (Right)	3/8" - 16	1/4"	3-3/16"	6"
T6MSST12-14L (Left)	1/2" - 13	1/4"	3-5/16"	6-9/16"
T6MSST12-14R (Right)	1/2" - 13	1/4"	3-5/16"	6-9/16"
T6MSST12-516L (Left)	1/2" - 13	5/16"	4"	7-5/16"
T6MSST12-516R (Right)	1/2" - 13	5/16"	4"	7-5/16"
T6MSST58-38L (Left)	5/8" - 11	3/8"	4-5/16"	8-11/16"
T6MSST58-38R (Right)	5/8" - 11	3/8"	4-5/16"	8-11/16"
T6MSST34-12L (Left)	3/4" - 10	1/2"	4-9/32"	10"
T6MSST34-12R (Right)	3/4" - 10	1/2"	4-9/32"	10"

SWAGE STUDS


HAND SWAGE LIFE LINE STUD AND LONG STUD - STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B (THREAD)	C	L
T6HLSST14-18L (Left)	1/8"	1/4" - 20	1-13/16"	4-1/4"
T6HLSST14-18R (Right)	1/8"	1/4" - 20	1-13/16"	4-1/4"
T6HLSST14-18UNFR4.5	1/8"	1/4" - 20	1-13/16"	4-1/2"
T6HLSST14-18HSXL (Extra Long)	1/8"	1/4" - 20	1-13/16"	10"
T6HLSST14-18UNFL (Left) (Fine Thread)	1/8"	1/4" - 28	1-13/16"	4-1/4"
T6HLSST14-18UNFR (Right) (Fine Thread)	1/8"	1/4" - 28	1-13/16"	4-1/4"
T6HLSST14-316L (Left)	3/16"	1/4" - 20	1-11/16"	4-1/4"
T6HLSST14-316R (Right)	3/16"	1/4" - 20	1-11/16"	4-1/4"
T6HLSST14-316HSXL (Extra Long)	3/16"	1/4" - 20	1-13/16"	10"
T6HLSST14-316UNFL (Left) (Fine Thread)	3/16"	1/4" - 28	1-13/16"	4-1/4"
T6HLSST14-316UNFR (Right) (Fine Thread)	3/16"	1/4" - 28	1-13/16"	4-1/4"
T6HLSST516-14L (Left)	1/4"	5/16" - 18	2-11/32"	4-3/4"
T6HLSST516-14R (Right)	1/4"	5/16" - 18	2-11/32"	4-3/4"
T6HLSST516-14HSXL (Extra Long)	1/4"	5/16" - 18	2-11/32"	12-1/4"
T6HLSST516-14UNFL (Left) (Fine Thread)	1/4"	5/16" - 24	2-11/32"	4-3/4"
T6HLSST516-14UNFR (Right) (Fine Thread)	1/4"	5/16" - 24	2-11/32"	4-3/4"
T6HLSST38-14L (Left)	1/4"	3/8" - 16	2-11/32"	5-1/4"
T6HLSST38-14R (Right)	1/4"	3/8" - 16	2-11/32"	5-1/4"
T6HLSST38-14HSXL (Extra Long)	1/4"	3/8" - 16	2-11/32"	12-1/4"
T6HLSST38-14UNFL (Left) (Fine Thread)	1/4"	3/8" - 24	2-1/4"	5-1/4"
T6HLSST38-14UNFR (Right) (Fine Thread)	1/4"	3/8" - 24	2-1/4"	5-1/4"

SWAGE STUDS


MACHINE SWAGE LIFE LINE STUD & EXTRA LONG STUD – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B (THREAD)	C	L
T6MLSST14-18L (Left)	1/8"	1/4" - 20	1-13/16"	4-1/4"
T6MLSST14-18R (Right)	1/8"	1/4" - 20	1-13/16"	4-1/4"
T6MLSST14-18UNFL (Left) (Fine Thread)	1/8"	1/4" - 28	1-13/16"	4-1/4"
T6MLSST14-18UNFR (Right) (Fine Thread)	1/8"	1/4" - 28	1-13/16"	4-1/4"
T6MLSST14-316L (Left)	3/16"	1/4" - 20	1-11/16"	4-1/4"
T6MLSST14-316R (Right)	3/16"	1/4" - 20	1-11/16"	4-1/4"
T6MLSST14-316UNFL (Left) (Fine Thread)	3/16"	1/4" - 28	1-11/16"	4-1/4"
T6MLSST14-316UNFR (Right) (Fine Thread)	3/16"	1/4" - 28	1-11/16"	4-1/4"
T6MLSST516-316UNFR (Right)	3/16"	5/16" - 24	1-11/16"	2-1/8"
T6MLSST516-14L (Left)	1/4"	5/16" - 18	2-5/16"	4-3/4"
T6MLSST516-14R (Right)	1/4"	5/16" - 18	2-5/16"	4-3/4"
T6MLSST516-14HSXL (Extra Long)	1/4"	5/16" - 18	2-5/16"	12-1/4"
T6MLSST516-14UNFL (Left) (Fine Thread)	1/4"	5/16" - 24	2-5/16"	4-3/4"
T6MLSST516-14UNFR (Right) (Fine Thread)	1/4"	5/16" - 24	2-5/16"	4-3/4"
T6MLSST516-14UNFXLR (Extra Long) (Right) (Fine Thread)	1/4"	5/16" - 24	2-5/16"	12-1/4"
T6MLSST38-14L (Left)	1/4"	3/8" - 16	2-5/16"	5-1/4"
T6MLSST38-14R (Right)	1/4"	3/8" - 16	2-5/16"	5-1/4"
T6MLSST38-14HSXL (Extra Long)	1/4"	3/8" - 16	2-5/16"	12-1/4"
T6MLSST38-14UNFL (Left) (Fine Thread)	1/4"	3/8" - 24	2-5/16"	5-1/4"
T6MLSST38-14UNFR (Right) (Fine Thread)	1/4"	3/8" - 24	2-5/16"	5-1/4"



SWAGE STUDS

HAND SWAGE LAG STUD – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B	C	L
T6HLST-18 (Right)	1/8"	2"	1.46"	4"
T6HLST-18L (Left)	1/8"	2"	1.46"	4"
T6HLST-316 (Right)	3/16"	2"	2"	4-3/8"
T6HLST-316L (Left)	3/16"	2"	2"	4-3/8"
T6HLST-316A (Right)	3/16"	2" (3/8" THREAD)	2"	4-3/8"
T6HLST-14 (Right)	1/4"	1-11/16"	2.58"	5-1/4"
T6HLST-14L (Left)	1/4"	1-11/16"	2.58"	5-1/4"


HAND AND MACHINE SWAGE DROP PIN STUD - STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	H	L
T6HDPST-18	1/8"	1/4"	3-3/4"
T6HDPST-316	3/16"	1/4"	4"
SHORT STYLE			
T6HDPST-18S	1/8"	1/4"	2-1/4"
T6HDPST-316S	3/16"	1/4"	2-1/4"
MACHINE SWAGE			
T6MDPST-18S	1/8"	1/4"	2-1/4"
T6MDPST-316S	3/16"	1/4"	2-1/4"


SWAGE STUDS

HAND SWAGE ADJUSTABLE STUD – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B	C	D	L
T6HADST14-18	1/8"	1/4"-20	1-3/4"	0.25"	3-1/2"
T6HADST14-316	3/16"	1/4"-20	1-3/4"	0.35"	4"
T6HADST516-14	1/4"	5/16"-18	2"	0.49	4-5/8"


MACHINE SWAGE ADJUSTABLE STUD – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B	C	D	L
T6MADST14-18	1/8"	1/4"-20	1-3/4"	0.25"	3-1/2"
T6MADST14-316	3/16"	1/4"-20	1-3/4"	0.35"	4"
T6MADST516-14	1/4"	5/16"-18	2"	0.49	4-5/8"


SWAGE STUDS

MACHINE SWAGE RESCUE STUD – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	D	E	F	L
T6MRSCST-18	1/8"	1.12"	0.25"	0.21"	3.45"
T6MRSCST-316	3/16"	1.12"	0.30"	0.25"	3.45"
T6MRSCST-14	1/4"	1.12"	0.42"	0.38"	3.45"


HAND & MACHINE SWAGE ANGLE STUD (LOCK-T) – STAINLESS STEEL T316



PART NO.	B (CABLE SIZE)	L	L1	D1	D2
HAND SWAGE					
T6HAST-18	1/8"	1-1/2"	3/4"	1/4"	1/8"
T6HAST-316	3/16"	1-1/2"	3/4"	3/8"	3/16"
MACHINE SWAGE					
PART NO.	B (CABLE SIZE)	L	L1	D1	D2
T6MAST-18	1/8"	1-1/2"	3/4"	1/4"	1/8"
T6MAST-316	3/16"	1-1/2"	3/4"	3/8"	3/16"


SWAGE STUDS

HAND SWAGE MARINE EYE – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B	C	D	L
T6HEST-18	1/8"	1/4"	5/32"	2-1/8"	2-5/8"
T6HEST-316	3/16"	3/8"	1/4"	3-7/32"	3-5/8"
T6HEST-14	1/4"	1/2"	5/16"	3-15/16"	4-1/4"


MACHINE SWAGE MARINE EYE – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B	C	D	L
T6MEST-18	1/8"	1/4"	5/32"	2-1/8"	2-5/8"
T6MEST-316	3/16"	3/8"	1/4"	3-1/8"	3-5/16"
T6MEST-14	1/4"	1/2"	5/16"	3-11/16"	3-15/16"
T6MEST-516	5/16"	9/16"	3/8"	4-7/8"	5-9/16"
T6MEST-38	3/8"	5/8"	15/32"	5-1/2"	5-29/32"
T6MEST-12	1/2"	3/4"	19/32"	6-3/16"	7-1/32"


INVISIBLE FITTINGS

INVISIBLE RECEIVER – STAINLESS STEEL T316




PART NO.	T (THREAD)	A	D	L
T6RCVR14-18/316	1/4"-20	0.62"	0.38"	2-3/16"
T6RCVR516-14	5/16"-18	0.70	0.48"	2-3/16"
T6RCVR38-14	3/8"-16	0.70"	0.48"	2-3/16"


HAND & MACHINE SWAGE INVISIBLE STUD – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B (THREAD)	L
HAND SWAGE			
T6HSST14-18INV	1/8"	1/4"-20	2-3/4"
T6HSST14-316INV	3/16"	1/4"-20	2-3/4"
T6HSST516-14INV	1/4"	5/16"-18	2-3/4"
T6HSST38-14INV	1/4"	3/8"-16	2-3/4"
MACHINE SWAGE			
Part No.	A (Cable Size)	B (Thread)	L
T6MSST14-18INV	1/8"	1/4"-20	2-3/4"
T6MSST14-316INV	3/16"	1/4"-20	2-3/4"
T6MSST516-14INV	1/4"	5/16"-18	2-3/4"




PART NO.	A (THREAD)	B	C	D	E	F	L
T6DRCVR14-18/316-1.5	1/4"-20	1/2"	3/8"	19/32"	5/32"	1"	1-1/2"



PART NO.	A	B	C	D	E	L
T6RHDOME-18-1.5	1/8"	7/32"	1.00"	19/32"	5/32"	1-1/2"
T6RHDOME-316-1.5	3/16"	9/32"	1.00"	19/32"	5/32"	1-1/2"

STEMBALL FITTINGS

HAND & MACHINE SWAGE STEMBALL FOR METAL POST – STAINLESS STEE 316



PART NO.	A (CABLE SIZE)	L
HAND SWAGE		
T6HSTEM-18M (Metal Post)	1/8"	1-3/8"
T6HSTEM-316M (Metal Post)	3/16"	1-5/8"
T6HSTEM-14M (Metal Post)	1/4"	2"
MACHINE SWAGE		
T6MSTEM-18M (Metal Post)	1/8"	1-3/8"
T6MSTEM-316M (Metal Post)	3/16"	1-5/8"
T6MSTEM-14M (Metal Post)	1/4"	2"


HAND & MACHINE SWAGE STEMBALL FOR WOOD POST – STAINLESS STEE 316



PART NO.	A (CABLE SIZE)	L
HAND SWAGE		
T6HSTEM-18W (Wood Post)	1/8"	1-3/8"
T6HSTEM-316W (Wood Post)	3/16"	1-5/8"
T6HSTEM-14W (Wood Post)	1/4"	2"
MACHINE SWAGE		
T6MSTEM-18W (Wood Post)	1/8"	1-3/8"
T6MSTEM-316W (Wood Post)	3/16"	1-5/8"
T6MSTEM-14W (Wood Post)	1/4"	2"

STEM FITTINGS

STEM HEAD INVISIBLE RECEIVER - STAINLESS STEEL T316



PART NO.	A	B (THREAD)	C	L
T6STEMRCVR14-18/316	3/8"	1/4" -20	9/16"	1-53/64"
T6STEMRCVR14-18/316F	3/8"	1/4"-28	9/16"	1-53/64"

HAND & MACHINE SWAGE STEM HEAD STUD - STAINLESS STEEL T316



HAND SWAGE

PART NO.	A (CABLE SIZE)	B	C (THREAD)	L
T6HSTMSTD14-18	1/8"	9/16"	1/4"-20	2-5/8"
T6HSTMSTD14-18F	1/8"	9/16"	1/4"-28	2-5/8"
T6HSTMSTD14-316	3/16"	9/16"	1/4"-20	2-5/8"
T6HSTMSTD14-316F	3/16"	9/16"	1/4"-28	2-5/8"

MACHINE SWAGE

PART NO.	A (CABLE SIZE)	B	C (THREAD)	L
T6MSTMSTD14-18	1/8"	9/16"	1/4"-20	2-5/8"
T6MSTMSTD14-18UNF	1/8"	9/16"	1/4"-28	2-5/8"
T6MSTMSTD14-316	3/16"	9/16"	1/4"-20	2-5/8"
T6MSTMSTD14-316UNF	3/16"	9/16"	1/4"-28	2-5/8"

STREAMLINE FITTINGS

STREAMLINE RECEIVER – STAINLESS STEEL T316



PART NO.	A	D	T (THREAD)	L
T6STRBODY516-1.5	0.53"	0.43"	5/16"-24	1-1/2"
T6STRBODY516-1.75	0.53"	0.43"	5/16"-24	1-3/4"
T6STRBODY516-2	0.53"	0.43"	5/16"-24	2"
T6STRBODY516-3	0.55"	0.43"	5/16"-24	3-7/64"
T6STRBODY716-2	0.625"	0.53"	7/16"-20	2-1/8"


STREAMLINE STUD – STAINLESS STEEL T316




PART NO.	L	M (CABLE)	T (THREAD)
T6STRSTUD-18	1"	1/8"	5/16"-24
T6STRSTUD-316	1"	3/16"	5/16"-24
T6STRSTUD-14	1-1/4"	1/4"	7-16"-20

STREAMLINE FITTINGS


STREAMLINE RECEIVER & STUD FOR 1/4" CABLE – STAINLESS STEEL T316

 						
PART NO.	A	D	T (THREAD)	L1	L2	M (CABLE)
T6STREAMLINE-14	0.625"	0.53"	7/16"-20	2-1/8"	1-1/4"	1/4"

STREALINE STUD (THICK WALL) FOR 1/8" CABLE – STAINLESS STEEL T316


 						
PART NO.	A	B (CABLE)	C	D	T (THREAD)	L
T6STRSTUD-18S	5/16"	1/8"	11/32"	31/64"	5/16"-24	1"

STREALINE STUD (THICK WALL) - 1/8" CABLE MOLYBDENUM DISULFIDE COATING – STAINLESS STEEL T316

 						
PART NO.	A	B (CABLE)	C	D	T (THREAD)	L
T6STRSTUD-18SMD	5/16"	1/8"	11/32"	31/64"	5/16"-24	1"
T6STRSTUD-316SMD	5/16	3/16"	11/32"	13/32"	5/16"-24	1"

TOGGLE FITTINGS

HAND & MACHINE SWAGE TOGGLE JAW – STAINLESS STEEL T316



HAND SWAGE

PART NO.	A (CABLE SIZE)	B	C	D
T6HTST-18	1/8"	0.38"	3-1/2"	0.23"
T6HTST-316	3/16"	0.38"	3-3/4"	0.23"
T6HTST-14	1/4"	0.50	5"	0.31"

MACHINE SWAGE

PART NO.	A (CABLE SIZE)	B	C	D
T6MTST-18	1/8"	0.38"	3-1/2"	0.23"
T6MTST-316	3/16"	0.38"	3-3/4"	0.23"
T6MTST-14	1/4"	0.50	5"	0.31"

HAND & MACHINE DECK TOGGLE – STAINLESS STEEL T316



HAND SWAGE


PART NO.	A (CABLE SIZE)	B	C	L
T6HDTST-18	1/8"	1/4"	1-3/8"	3"
T6HDTST-316	3/16"	1/4"	1-3/8"	3"
T6HDTST-14	1/4"	3/8"	1-1/2"	5"

MACHINE SWAGE

PART NO.	A (CABLE SIZE)	B	C	L
T6MDTST-18	1/8"	1/4"	1-3/8"	3"
T6MDTST-316	3/16"	1/4"	1-3/8"	3"
T6MDTST-14	1/4"	3/8"	1-1/2"	5"

TOGGLE FITTINGS

HAND & MACHINE SWAGE JAW – STAINLESS STEEL T316



HAND SWAGE


PART NO.	A (CABLE SIZE)	B	C	D
T6HJST-18	1/8"	0.23"	0.40"	2.20"
T6HJST-316	3/16"	0.31"	0.42"	2.75"
T6HJST-14	1/4"	0.35"	0.47"	3.35"

MACHINE SWAGE

PART NO.	A (CABLE SIZE)	B	C	D
T6MJST-18	1/8"	0.23"	0.40"	2.60"
T6MJST-532	5/32"	0.31"	0.46"	3.30"
T6MJST-316	3/16"	0.31"	0.46"	3.35"
T6MJST-14	1/4"	0.35"	0.47"	3.85"
T6MJST-516	5/16"	0.62	0.67"	5.65"
T6MJST-38	3/8"	0.55"	0.81"	6.15"
T6MJST-12	1/2"	0.75"	0.91	7.70"


THREADED TERMINALS

THREADED ROD – STAINLESS STEEL T316



PART NO.	A (THREAD)	B	C	L
T6THR-14L (Left)	1/4"-20	2"	1/2"	4-1/2"
T6THR-14R (Right)	1/4"-20	2"	1/2"	4-1/2"
T6THR-14UNFR (Right)	1/4"-28	2"	1/2"	4-1/2"
T6THR-516L (Left)	5/16"-18	2-5/16"	1/2"	4-3/4"
T6THR-516R (Right)	5/16"-18	2-5/16"	1/2"	4-3/4"
T6THR-516UNFR (Right)	5/16"-24	2-5/16"	1/2"	4-3/4"
T6THR-38L (Left)	3/8"-16	2-9/16"	9/16"	5-1/8"
T6THR-38R (Right)	3/8"-16	2-9/16"	9/16"	5-1/8"

THREADED LAG (HANGER BOLT) – STAINLESS STEEL T316




PART NO.	D (THREAD)	A	B	C
T6LHR-14L (Left)	1/4" - 20	3-3/4"	1-3/4"	1-1/2"
T6LHR-14R (Right)	1/4" - 20	3-3/4"	1-3/4"	1-1/2"
T6LHR-516L (Left)	5/16" - 18	5-3/16"	2-7/32"	1-5/8"
T6LHR-516R (Right)	5/16" - 18	5-3/16"	2-7/32"	1-5/8"

THREADED TERMINALS

THREADED EYE TAB – STAINLESS STEEL T316


						
PART NO.	A (THREAD)	B	C	D	T	L
T6TRET516-114UNF	5/16"-24	0.50"	0.25"	0.23"	0.38"	1.25"
T6TRET516-114UNC	5/16"-18	0.50"	0.25"	0.23"	0.38"	1.25"
T6TRET516-38UNC	5/16"-18	0.50	0.25"	0.23"	3"	3.80"
T6TRET516-38UNF	5/16"-24	0.50	0.25"	0.23"	3"	3.80"
T6TRLET516-28LAG	5/16"-LAG	0.50	0.25"	0.24"	1.50"	2.43"

THREADED DECK TOGGLE – STAINLESS STEEL T316

				
PART NO.	A (THREAD)	C	E	L
T6DTHR-14L (Left)	1/4"-20	1.30"	0.25"	3"
T6DTHR-14R (Right)	1/4"-20	1.30"	0.25"	3"
T6DTHR-14UNFL (Left)	1/4"-28	1.30"	0.25"	3"
T6DTHR-14UNFR (Right)	1/4"-28	1.30"	0.25"	3"
T6DTHR-516L (Left)	5/16"-18	1.65"	0.36"	3.50"
T6DTHR-516R (Right)	5/16"-18	1.65"	0.36"	3.50"


THREADED TERMINALS

THREADED TOGGLE – STAINLESS STEEL T316



PART NO.	A	B (THREAD)	C	D	E
T6TTHR-14L (Left)	0.40"	1/4"-20	3.50"	0.23"	0.70"
T6TTHR-14R (Right)	0.40"	1/4"-20	3.50"	0.23"	0.70"
T6TTHR-14UNFL (Left)	0.40"	1/4"-28	3.50"	0.23"	0.70"
T6TTHR-14UNFR (Right)	0.40"	1/4"-28	3.50"	0.23"	0.70"
T6TTHR-516L (Left)	0.53"	5/16"-18	4"	0.31"	0.73"
T6TTHR-516R (Right)	0.53"	5/16"-18	4"	0.31"	0.73"

THREADED JAW – STAINLESS STEEL T316




PART NO.	A (THREAD)	B	C	D
T6JTHR-14L (Left)	1/4"- 20	0.25"	0.42"	2.90"
T6JTHR-14R (Right)	1/4"-20	0.25"	0.42"	2.90"
T6JTHR-516L (Left)	5/16"-18	0.31"	0.45"	3.20"
T6JTHR-516R (Right)	5/16"-18	0.31"	0.45"	3.20"
T6JTHR-38L (Left)	3/8"-16	0.34"	0.50"	4.30"
T6JTHR-38R (Right)	3/8"-16	0.34"	0.50"	4.30"
T6JTHR-12L (Left)	1/2"-13	0.46"	0.58"	4.82"
T6JTHR-12R (Right)	1/2"-13	0.46"	0.58"	4.82"
T6JTHR-58L (Left)	5/8"-11	0.62"	0.75"	6.25"
T6JTHR-58R (Right)	5/8"-11	0.62"	0.75"	6.25"

THREADED TERMINALS

THREADED DROP PIN – STAINLESS STEEL T316


				
PART NO.	B (THREAD)	A	C	D
T6DPTHR-14L (Left)	1/4"-20	1"	1-7/8"	2-1/16"
T6DPTHR-14R (Right)	1/4"-20	1"	1-7/8"	2-1/16"

THREADED DOME – STAINLESS STEEL T316

			
PART NO.	A	D (THREAD)	L
T6THRDM-14L	0.63"	1/4" -20	1.75"
T6THRDM-14R	0.63"	1/4" -20	1.75"
T6THRDM-516L	0.68"	5/16" -18	2.00"
T6THRDM-516R	0.68"	5/16" -18	2.00"


NUTS AND WASHERS

ANGLED WASHER - 30° - 32° - 33° - 37° - STAINLESS STEEL T316



PART NO.	DEGREES	A	B
T6AGWASHER30-14	30°	1/4"	5/8"
T6AGWASHER30-516	30°	5/16"	11/16"
T6AGWASHER30-38	30°	3/8"	11/16"
T6AGWASHER30-716	30°	7/16"	11/16"
T6AGWASHER30-12	30°	1/2"	11/16"
T6AGWASHER32-716	32°	7/16"	11/16"
T6AGWASHER33-14	33°	1/4"	5/8"
T6AGWASHER33-516	33°	5/16"	11/16"
T6AGWASHER33-38	33°	3/8"	11/16"
T6AGW33-38INV*	33°	3/8"	19/32"
T6AGWASHER33-716	33°	7/16"	11/16"
T6AGWASHER33-12	33°	1/2"	11/16"
T6AGWASHER37-14	37°	1/4"	5/8"
T6AGWASHER37-516	37°	5/16"	11/16"
T6AGWASHER37-38	37°	3/8"	11/16"
T6AGWASHER37-716	37°	7/16"	11/16"
T6AGWASHER37-12	37°	1/2"	11/16"


STANDOFF FOR ROUND POST – STAINLESS STEEL



PART NO.	A (HOLE SIZE)	O.D.
T6AGWSHSOF516-1.5	5/16"	5/8"
T6AGWSHSOF516-2.0	5/16"	5/8"
T6AGWSHSOF716-1.5	7/16"	11/16"
T6AGWSHSOF716-2.0	7/16"	11/16"


NUTS AND WASHERS

ANGLED WASHERS 1.25", 1.50" & 2.0" ROUND POST – STAINLESS STEEL T316



PART NO.	A (HOLE SIZE)	POST SIZE	B
T6AGWSHRP14-1.5	1/4"	1-1/2"	5/8"
T6AGWSHRP14-2.0	1/4"	2"	5/8"
T6AGWSHRP516-1.25	5/16"	1-1/4"	11/16"
T6AGWSHRP516-1.5	5/16"	1-1/2"	11/16"
T6AGWSHRP516-2.0	5/16"	2"	11/16"
T6AGWSHRP516-2.0A	5/16"	2"	5/8"
T6AGWSHRP10-1.5	3/8"	1-1/2"	11/16"
T6AGWSHRP10-2.0	3/8"	2"	11/16"


COUNTERSUNK ANGLED WASHERS 1.50" & 2.0" ROUND POST – STAINLESS STEEL T316



PART NO.	A (HOLE SIZE)	POST SIZE	B
T6AGWSHCTRP14-1.5	1/4"	1-1/2"	5/8"
T6AGWSHCTRP14-2.0	1/4"	2"	5/8"
T6AGWSHCTRP516-1.5	5/16"	1-1/2"	11/16"
T6AGWSHCTRP516-2.0	5/16"	2"	11/16"
T6AGWSHCTRP38-1.5	3/8"	1-1/2"	11/16"
T6AGWSHCTRP38-2.0	3/8"	2"	11/16"


NUTS AND WASHERS

COUNTERSUNK ANGLED WASHERS – STAINLESS STEEL T316



PART NO.	A (HOLE SIZE)	B	TO USE WITH
T6AGWSHCT-14	1/4"	5/8"	T6HSTEM-18
T6AGWSHCT-516	5/16"	11/16"	T6HSTEM-316
T6AGWSHCT-38	3/8"	11/16"	T6HSTEM-14


FLAT WASHER – STAINLESS STEEL T316



PART NO.	THREAD SIZE	A	B
T6FLWASHER-14	1/4"	15/32"	0.256"
T6FLWASHER-14-58	1/4"	5/8"	0.258"
T6FLWASHER-516	5/16"	5/8"	0.334"
T6FLWASHER-38	3/8"	3/4"	0.413"
T6FLWASHER-716	7/16"	1-1/8"	0.476"
T6FLWASHER-12-114	1/2"	1-1/4"	0.513"
T6FLWASHER-58	5/8"	1-1/2"	0.712"
T6FLWASHER-34	3/4"	1-7/16"	0.835"


NUTS AND WASHERS

CAP NUT – UNC STANDARD – LEFT/RIGHT – STAINLESS STEEL T316



PART NO.	THREAD	A	H
T6CPNUT-14L (Left)	LEFT HAND	1/4"-20	1/2"
T6CPNUT-14R (RIGHT)	RIGHT HAND	1/4"-20	1/2"
T6CPNUT-14UNFL (Left)	LEFT HAND - FINE	1/4"-28	1/2"
T6CPNUT-14UNFR (RIGHT)	RIGHT HAND - FINE	1/4"-28	1/2"
T6CPNUT-516L (Left)	LEFT HAND	5/16"- 18	9/16"
T6CPNUT-516R (RIGHT)	RIGHT HAND	5/16"- 18	9/16"
T6CPNUT-516UNFR (RIGHT)	RIGHT HAND - FINE	5/16"- 24	9/16"
T6CPNUT-38L (LEFT)	LEFT HAND	3/8"- 16	3/4"
T6CPNUT-38R (RIGHT)	RIGHT HAND	3/8"- 16	3/4"
T6CPNUT-12L (LEFT)	LEFT HAND	1/2" – 13	13/16"
T6CPNUT-12R (RIGHT)	RIGHT HAND	1/2" – 13	13/16"
T6CPNUT-58L (LEFT)	LEFT HAND	5/8" - 11	1"
T6CPNUT-58R (RIGHT)	RIGHT HAND	5/8" - 11	1"


STREAMLINE CAP – STAINLESS STEEL T316



PART NO.	A	B(THREAD)	C	L
T6STRCAP-18/316	0.20"	5/16"-24	9/16"	0.20"


NUTS AND WASHERS

HEX NUT – LEFT/RIGHT – STAINLESS STEEL T316



PART NO.	THREAD	A	H
T6HXNUT-14L	LEFT HAND	1/4"-20	0.22"
T6HXNUT-14R	RIGHT HAND	1/4"-20	0.22"
T6HXNUT-516R	RIGHT HAND	5/16"-18	0.26"
T6HXNUT-516UNFL	LEFT HAND	5/16"-24	0.26"
T6HXNUT-516UNFR	RIGHT HAND	5/16"-24	0.26"
T6HEXNUT-38R	RIGHT HAND	3/8"-16	0.33"
T6HEXNUT-38L	LEFT HAND	3/8"-16	0.33"
T6HXNUT-12L	LEFT HAND	1/2"-13	0.43"
T6HXNUT-12R	RIGHT HAND	1/2"-13	0.43"
T6HXNUT-58R	RIGHT HAND	5/8"-11	0.54"
T6HXNUT-34R	RIGHT HAND	3/4"-10	0.62"


DOVE END CAP – STAINLESS STEEL T316



PART NO.	A (THREAD)	B	C
T6DCAP-14R (Right)	1/4"-20	5/8"	9/16"
T6DCAP-14UNFR (Right)	1/4"-28	5/8"	9/16"


NUTS AND WASHERS

FLAT DOME CAP FOR JAM NUT – STAINLESS STEEL T316




PART NO.	A (THREAD)	B	C
T6FJNUT-14L (Left)	1/4"-20	5/8"	3/8"
T6FJNUT-14R (Right)	1/4"-20	5/8"	3/8"
T6FJNUT-14UNFR (Right)	1/4"-28	5/8"	3/8"
T6FJNUT-516L (Left)	5/16"-18	11/16"	15/32"
T6FJNUT-516R (Right)	5/16"-18	11/16"	15/32"
T6FJNUT-516UNFL (Left)	5/16"-24	11/16"	15/32"
T6FJNUT-516UNFR (Right)	5/16"-24	11/16"	15/32"

ROUND DOME CAP FOR JAM NUT – STAINLESS STEEL T316



PART NO.	A (THREAD)	B	C
T6RJNUT-14L (Left)	1/4"-20	5/8"	7/16"
T6RJNUT-14R (Right)	1/4"-20	5/8"	7/16"
T6RJNUT-14UNFR (Right)	1/4"-28	5/8"	7/16"
T6RJNUT-516L (Left)	5/16"-18	11/16"	7/16"
T6RJNUT-516R (Right)	5/16"-18	11/16"	7/16"
T6RJNUT-516UNFR (Right)	5/16"-24	11/16"	7/16"
T6RJNUT-38L (Left)	3/8"-16	3/4"	9/16"
T6RJNUT-38R (Right)	3/8"-16	3/4"	9/16"


BALL END CAP – STAINLESS STEEL T316



PART NO.	A (THREAD)	B	C
T6BPNUT-14R (Right)	1/4"-20	5/8"	9/16"

NUTS AND WASHERS

PROTECTIVE SLEEVES – STAINLESS STEEL T316

					
PART NO.	CABLE SIZE	A	B	C	L
T6PROSLV	1/8", 5/32", 3/16"	0.21"	0.28"	0.50"	0.80"
T6PROSLV-14	1/4"	0.27"	0.35"	0.57"	1.00"
T6PROSLVAG (30°)	1/8", 5/32", 3/16"	0.21"	0.28"	0.64"	1.11"

CROSS CABLE CLIP – STAINLESS STEEL T316


			
PART NO.	A (THREAD)	B	C
T6CCP-18	1/8"	3/4"	7/8"
T6CCP-532	5/32"	3/4"	7/8"
T6CCP-316	3/16"	3/4"	7/8"
T6CCP-14	1/4"	3/4"	1"

WOOD SCREW – 2" – STAINLESS STEEL T316

			
PART NO.	A	B	L
T6SCR14-2	0.25"	0.44"	2"

TURNBUCKLE FITTINGS

PIPE BODY TURNBUCKLE – STAINLESS STEEL



PART NO.	A (THREAD)	B (TOTAL LENGTH)
T6PB-316	3/16"-24	3-5/32"
T6PB-14	1/4"-20	3-3/4"
T6PB-14UNF	1/4"-28	3-3/4"
T6PB-516	5/16"-18	4-3/16"
T6PB-516UNF	5/16"-24	4-3/16"
T6PB-38	3/8"-16	4-15/16"
T6PB-38UNF	3/8"-24	4-15/16"
T6PB-12	1/2"-13	5-7/8"
T6PB-58	5/8"-11	7-5/8"
T6PB-34	3/4"-10	8-1/4"

TURNBUCKLE FITTINGS

HAND SWAGE (WRENCH FLAT) STUD & STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316



HAND SWAGE


PART NO.	F (CABLE SIZE)	A (THREAD)	B	C
T6PBHSST14-18	1/8"	1/4"-20	3-3/4"	7-3/4"
T6PBHSST14-316	3/16"	1/4"-20	3-3/4"	7-3/4"
T6PBHSST516-14	1/4"	5/16"-18	4-5/32"	9-3/16"

MACHINE SWAGE


PART NO.	F (CABLE SIZE)	A (THREAD)	B	C
T6PBMSST14-18	1/8"	1/4"-20	3-3/4"	7-3/4"
T6PBMSST14-316	3/16"	1/4"-20	3-3/4"	7-3/4"
T6PBMSST516-316	3/16"	5/16"-18	4-5/32"	9-3/4"
T6PBMSST516-14	1/4"	5/16"-18	4-5/32"	9-3/16"
T6PBMSST38-316	3/16"	3/8"-16	4-3/4"	10-1/8"
T6PBMSST38-14	1/4"	3/8"-16	4-3/4"	10-1/8"
T6PBMSST12-14	1/4"	1/2" – 13	6"	11-3/4"
T6PBMSST12-516	5/16"	1/2"-13	6"	14"
T6PBMSST-58-38	3/8"	5/8"-11	7-5/8"	16-3/8"
T6PBMSST34-12	1/2"	3/4"-10	8-3/8"	18-7/8"

TURNBUCKLE FITTINGS

HAND SWAGE (LIFE LINE) STUD & STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

 				
PART NO.	F (CABLE SIZE)	A (THREAD)	B	C
T6PBHLSST14-18	1/8"	1/4"-20	3-3/4"	8-1/2"
T6PBHLSST14-18UNF	1/8"	1/4"-28	3-3/4"	8-1/2"
T6PBHLSST14-316	3/16"	1/4"-20	3-3/4"	8-1/2"
T6PBHLSST14-316UNF	3/16"	1/4"-28	3-3/4"	8-1/2"
T6PBHLSST516-14	1/4"	5/16"-18	4-5/32"	10-3/16"
T6PBHLSST516-14UNF	1/4"	5/16"-24	4-5/32"	10-3/16"
T6PBHLSST38-14	1/4"	3/8"-16	4-3/4"	10-1/2"
T6PBHLSST38-14UNF	1/4"	3/8"-24	4-3/4"	10-1/2"

MACHINE SWAGE (LIFE LINE) STUD & STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

 				
PART NO.	F (CABLE SIZE)	A (THREAD)	B	C
T6PBMLSST14-18	1/8"	1/4"-20	3-3/4"	8-1/2"
T6PBMLSST14-18UNF	1/8"	1/4"-28	3-3/4"	8-1/2"
T6PBMLSST14-316	3/16"	1/4"-20	3-3/4"	8-1/2"
T6PBMLSST14-316UNF	3/16"	1/4"-28	3-3/4"	8-1/2"
T6PBMLSST516-14	1/4"	5/16"-18	4-5/32"	9-1/2"
T6PBMLSST516-14UNF	1/4"	5/16"-24	4-5/32"	9-1/2"
T6PBMLSST38-14	3/8"	3/8"-16	4-3/4"	10-1/2"
T6PBMLSST38-14UNF	3/8"	3/8"-24	4-3/4"	10-1/2"

TURNBUCKLE FITTINGS

HAND SWAGE ROD & WRENCH FLAT STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBHSRST14-18	1/8"	1/4"-20	3-3/4"	1/2"
T6PBHSRST14-316	3/16"	1/4"-20	3-3/4"	1/2"
T6PBHSRST516-14	1/4"	5/16"-18	4-5/32"	1/2"

MACHINE SWAGE ROD & WRENCH FLAT STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBMSRST14-18	1/8"	1/4"-20	3-3/4"	1/2"
T6PBMSRST14-316	3/16"	1/4"-20	3-3/4"	1/2"
T6PBMSRST516-14	1/4"	5/16"-18	4-5/32"	1/2"
T6PBMSRST38-14	1/4"	3/8"-16	4-3/4"	1/2"

TURNBUCKLE FITTINGS

HAND SWAGE ROD & LIFE LINE STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL

				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBHLRST14-18	1/8"	1/4"-20	3-3/4"	1/2"
T6PBHLRST14-18UNF	1/8"	1/4"-28	3-3/4"	1/2"
T6PBHLRST14-316	3/16"	1/4"-20	3-3/4"	1/2"
T6PBHLRST14-316UNF	3/16"	1/4"-28	3-3/4"	1/2"
T6PBHLRST516-14	1/4"	5/16"-18	4-5/32"	1/2"
T6PBHLRST516-14UNF	1/4"	5/16"-24	4-5/32"	1/2"
T6PBHLRST38-14	1/4"	3/8"-16	4-3/4"	9/16"

MACHINE SWAGE ROD & LIFE LINE STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL

				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBMLRST14-18	1/8"	1/4"-20	3-3/4"	1/2"
T6PBMLRST14-18UNF	1/8"	1/4"-28	3-3/4"	1/2"
T6PBMLRST14-316	3/16"	1/4"-20	3-3/4"	1/2"
T6PBMLRST14-316UNF	3/16"	1/4"-28	3-3/4"	1/2"
T6PBMLRST516-14	1/4"	5/16"-18	4-5/32"	1/2"
T6PBHLRST516-14UNF	1/4"	5/16"-24	4-5/32"	1/2"
T6PBMLRST38-14	1/4"	3/8"-16	4-3/4"	1/2"

TURNBUCKLE FITTINGS

HAND & MACHINE SWAGE LAG & WRENCH FLAT STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL



HAND SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHSLST14-18	1/8"	1/4"-20	3-3/4"	8-1/8"
T6PBHSLST14-316	3/16"	1/4"-20	3-3/4"	8-1/8"
T6PBHSLST516-14	1/4"	5/16"-18	4-5/32"	11-1/8"

MACHINE SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBMSLST14-18	1/8"	1/4"-20	3-3/4"	8-1/8"
T6PBMSLST14-316	3/16"	1/4"-20	3-3/4"	8-1/8"

HAND & MACHINE SWAGE LAG & LIFE LINE STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL



HAND SWAGE


PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHLLST14-18	1/8"	1/4"-20	3-3/4"	8-1/8"
T6PBHLLST14-316	3/16"	1/4"-20	3-3/4"	8-1/8"

MACHINE SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBMLLST14-18	1/8"	1/4"-20	3-3/4"	8-1/8"
T6PBMLLST14-316	3/16"	1/4"-20	3-3/4"	8-1/8"

TURNBUCKLE FITTINGS

HAND & MACHINE SWAGE DROP PIN & WRENCH FLAT STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316




HAND SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHSDPST14-18	1/8"	1/4"-20	3-3/4"	0.212"
T6PBHSDPST14-316	3/16"	1/4"-20	3-3/4"	0.25"

MACHINE SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBMSDPST14-18	1/8"	1/4"-20	3-3/4"	0.212"
T6PBMSDPST14-316	3/16"	1/4"-20	3-3/4"	0.25"

HAND & MACHINE SWAGE DROP PIN & LIFE LINE STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316



HAND SWAGE


PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHLDPSST14-18	1/8"	1/4"-20	3-3/4"	0.212"
T6PBHLDPSST14-316	3/16"	1/4"-20	3-3/4"	0.25"

MACHINE SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBMLDPST14-18	1/8"	1/4"-20	3-3/4"	0.212"
T6PBMLDPST14-316	3/16"	1/4"-20	3-3/4"	0.25"

TURNBUCKLE FITTINGS

HAND & MACHINE SWAGE TOGGLE & WRENCH FLAT STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316



HAND SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHSTST14-18	1/8"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBHSTST14-316	3/16"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBHSTST516-14	1/4"	5/16"-18	4-5/32"	0.72	0.55"	0.31"

MACHINE SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBMSTST14-18	1/8"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBMSTST14-316	3/16"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBMSTST516-14	1/4"	5/16"-18	4-5/32"	0.72"	0.55"	0.31"

HAND & MACHINE SWAGE TOGGLE & LIFE LINE STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316



HAND SWAGE


PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHLTST14-18	1/8"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBHLTST14-18UNF	1/8"	1/4"-28	3-3/4"	0.70"	0.41"	0.23"
T6PBHLTST14-316	3/16"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBHLTST14-316UNF	3/16"	1/4"-28	3-3/4"	0.70"	0.41"	0.23"
T6PBHLTST516-14	1/4"	5/16"-18	4-5/32"	0.72	0.55"	0.31"

MACHINE SWAGE


PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBMLTST14-18	1/8"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBMLTST14-18UNF	1/8"	1/4"-28	3-3/4"	0.70"	0.41"	0.23"
T6PBMLTST14-316	3/16"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBMLTST14-316UNF	3/16"	1/4"-28	3-3/4"	0.70"	0.41"	0.23"
T6PBMLTST516-14	1/4"	5/16"-18	4-5/32"	0.72	0.55"	0.31"

TURNBUCKLE FITTINGS

HAND & MACHINE SWAGE DECK TOGGLE & WRENCH FLAT STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316


 				
HAND SWAGE				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBHSDTST14-18	1/8"	1/4"-20	3-3/4"	0.25"
T6PBHSDTST14-316	3/16"	1/4"-20	3-3/4"	0.25"
T6PBHSDTST516-14	1/4"	5/16"-18	4-5/32"	0.25"
MACHINE SWAGE				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBMSDTST14-18	1/8"	1/4"-20	3-3/4"	0.25"
T6PBMSDTST14-316	3/16"	1/4"-20	3-3/4"	0.25"
T6PBMSDTST516-14	1/4"	5/16"-18	4-5/32"	0.25"

HAND & MACHINE SWAGE DECK TOGGLE & *LIFE LINE* STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

 				
HAND SWAGE				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBHLDTST14-18	1/8"	1/4"-20	3-3/4"	0.25"
T6PBHLDTST14-18UNF	1/8"	1/4"-28	3-3/4"	0.25"
T6PBHLDTST14-316	3/16"	1/4"-20	3-3/4"	0.25"
T6PBHLDTST14-316UNF	3/16"	1/4"-28	3-3/4"	0.25"
T6PBHLDTST516-14	1/4"	5/16"-18	4-5/32"	0.25"
MACHINE SWAGE				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBMLDTST14-18	1/8"	1/4"-20	3-3/4"	0.25"
T6PBMLDTST14-18UNF	1/8"	1/4"-28	3-3/4"	0.25"
T6PBMLDTST14-316	3/16"	1/4"-20	3-3/4"	0.25"
T6PBMLDTST14-316UNF	3/16"	1/4"-28	3-3/4"	0.25"
T6PBMLDTST516-14	1/4"	5/16"-18	4-5/32"	0.25"

TURNBUCKLE FITTINGS

HAND & MACHINE SWAGE JAW & WRENCH FLAT STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316




HAND SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHSJST14-18	1/8"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBHSJST14-316	3/16"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBHSJST516-14	1/4"	5/16"-18	4-5/32"	0.45"	0.46"	0.31"

MACHINE SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBMSJST14-18	1/8"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBMSJST14-316	3/16"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBMSJST516-316	3/16"	5/16"-18	3-3/4"	0.42"	0.44"	0.23"
T6PBMSJST516-14	1/4"	5/16"-18	4-5/32"	0.45"	0.46"	0.31"
T6PBMSJST38-14	1/4"	3/8"-16	4-5/32"	0.45"	0.46"	0.34"
T6PBMSJST12-14	1/4"	1/2"-13	6.00"	1.00"	0.59"	0.46"
T6PBMSJST58-38	3/8"	5/8"-11	7-5/8"	1.34"	0.69"	0.62"

HAND & MACHINE SWAGE JAW & LIFE LINE STUD WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316



HAND SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHLJST14-18	1/8"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBHLJST14-316	3/16"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBHLJST516-14	1/4"	5/16"-18	4-5/32"	0.45"	0.46"	0.31"
T6PBHLJST38-14	1/4"	3/8"-16	4-5/32"	0.45"	0.46"	0.34"

MACHINE SWAGE

PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBMLJST14-18	1/8"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBMLJST14-316	3/16"	1/4"-20	3-3/4"	0.42"	0.44"	0.23"
T6PBMLJST516-14	1/4"	5/16"-18	4-5/32"	0.45"	0.46"	0.31"
T6PBMLJST38-14	1/4"	3/8"-16	4-5/32"	0.45"	0.46"	0.34"

TURNBUCKLE FITTINGS

JAW & JAW WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316


					
PART NO.	A (THREAD)	B	C	D	E
T6PBJJ-316	3/16"-24	3-1/4"	5-3/16"	3/16"	1/4"
T6PBJJ-14	1/4"-20	3-3/4"	5-7/8"	1/4"	11/32"
T6PBJJ-516	5/16"-18	4-5/32"	7-5-16"	5/16"	3/8"
T6PBJJ-38	3/8"-16	4-3/4"	8-3/4"	3/8"	1/2"
T6PBJJ-12	1/2"-13	8"	10-3/4"	1/2"	9/16"

TOGGLE JAW AND TOGGLE JAW WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

					
PART NO.	(THREAD) A	B	C	D	E
T6PBTT-14	1/4"-20	3-3/4"	5-3/4"	0.66"	5/16"
T6PBTT-14UNF	1/4"-28	3-3/4"	5-3/4"	0.66"	5/16"
T6PBTT-516	5/16"-18	4-5/32"	7-5/16"	0.66"	3/8"
T6PBTT-38	3/8"-16	4-3/4"	8-1/2"	0.70"	9/16"
T6PBTT-12	1/2"-13	6"	10"	1.12"	5/8"
T6PBTT-58	5/8"-12	7-5/8"	13-5/8"	1.18"	3/4"
T6PBTT-34	3/4"-10	8-3/8"	16-1/2"	1.75"	7/8"

TURNBUCKLE FITTINGS


MARINE EYE AND EYE WITH PIPE BODY TURNBUCKLE – STAINLESS STEEL T316




PART NO.	(THREAD) A	B	C	D	E
T6PBMEE316-472	3/16"-24	3-3/16"	5-1/8"	7/32"	1/2"
T6PBMEE14-531	1/4-28	3-3/4"	5-15/16"	1/4"	9/16"
T6PBMEE516-630	5/16"-24	4-5/32"	7"	5/16"	11/16"
T6PBMEE38-748	3/8"-24	5"	8-1/2"	13/32"	29/32"

RAPID LOCK FITTINGS


RAPID LOCK "SWAGE LESS" STUD FOR 1/8" CABLE – STAINLESS STEEL T316

					
PART NO.	A	B	C	D	L
T6RPDLCK-18	0.36"	1.14"	0.13"	0.63"	1.27"
T6RPDLCK-316	0.53"	1.63"	0.25"	0.75"	1.88"

RAPID LOCK CAP – STAINLESS STEEL T316

			
PART NO.	A	B	COMPATIBILITY
T6RPDLCKCP-18/316	0.38"	0.74"	1/8" & 3/16"

HEX NUT FOR RAPID LOCK CAP – STAINLESS STEEL T316


			
PART NO.	A	B	COMPATIBILITY
T6RPDLCKNUT	0.61"	0.25"	1/4" - 20

RELEASE TOOL FOR RAPID LOCK – STEEL


	
PART NO.	COMPATIBILITY
RPDLCKEY-18	1/8"
RPDLCKEY-316	3/16"

BLACK OXIDE FITTINGS


HAND SWAGE WRENCH FLAT STUD – STAINLESS STEEL T316

 				
PART NO.	A (THREAD)	B (CABLE SIZE)	C	L
T6HSST14-18L-BK (Left)	1/4" - 20	1/8"	2"	4"
T6HSST14-18R-BK (Right)	1/4" - 20	1/8"	2"	4"
T6HSST14-316L-BK (Left)	1/4" - 20	3/16"	2-1/2"	4-11/32"
T6HSST14-316R-BK (Right)	1/4" - 20	3/16"	2-7/16"	4-3/8"

HAND SWAGE LIFE LINE STUD – STAINLESS STEEL T316


 			
PART NO.	A (CABLE SIZE)	B (THREAD)	L
T6HLSST14-18LBK (Left)	1/8"	1/4" - 20	4-9/32"
T6HLSST14-18RBK (Right)	1/8"	1/4" - 20	4-9/32"
T6HLSST14-316LBK (Left)	3/16"	1/4" - 20	4-1/4"
T6HLSST14-316RBK (Right)	3/16"	1/4" - 20	4-1/4"

HAND SWAGE LAG STUD – STAINLESS STEEL T316


 				
PART NO.	A (CABLE SIZE)	B	C	L
T6HLST-18BK (Right)	1/8"	2"	1.35"	4"
T6HLST-18LBK (Left)	1/8"	2"	1.55"	4"
T6HLST-316BK (Right)	3/16"	2"	2"	4-3/8"
T6HLST-316LBK (Left)	3/16"	2"	2"	4-3/8"

BLACK OXIDE FITTINGS

HAND SWAGE DROP PIN STUD – STAINLESS STEEL T316

 			
PART NO.	A (CABLE SIZE)	H	L
T6HDPST-18BK	1/8"	1/4"	3-3/4"
T6HDPST-316BK	3/16"	1/4"	4"
SHORT STYLE			
T6HDPST-18SBK	1/8"	1/4"	2-1/4"
T6HDPST-316SBK	3/16"	1/4"	2-1/4"


STREALINE RECEIVER & STUD FOR 3/16" CABLE – STAINLESS STEEL T316

PART NO.	A	D	T (THREAD)	L1	L2	M (CABLE)
T6STRBODY-1.5BK	0.53"	0.43"	5/16"-24	1-1/2"	1"	
T6STRSTUD-316BK			5/16"-24		1"	3/16"


BLACK OXIDE FITTINGS

HAND SWAGE DOME STUD – STAINLESS STEEL T316




PART NO.	D (CABLE SIZE)	A	L
T6HDOME-18BK	1/8"	5/8"	2-1/4"
T6HDOME-18PBK (Plain head)	1/8"	5/8"	2-1/4"
T6HDOME-316BK	3/16"	5/8"	2-3/8"
T6HDOME-316PBK (Plain head)	3/16"	5/8"	2-3/8"

HAND SWAGE INVISIBLE STUD & RECEIVER – STAINLESS STEEL T316



PART NO.	T (THREAD)	A	D	L
T6RCVR14-18/316BK	1/4"-20	0.62"	0.38"	2-3/16"
PART NO.	A (CABLE SIZE)	B (THREAD)	L	
T6HSST14-18INVBK	1/8"	1/4"-20	2-3/4"	
T6HSST14-316INVBK	3/16"	1/4"-20	2-3/4"	


ROUND DOME RECEIVER – STAINLESS STEEL T316



PART NO.	A (THREAD)	B	C	D	E	F	L
T6DRCVR14-18/316-1.5BK	1/4"-20	1/2"	3/8"	19/32"	5/32"	1"	1-1/2"


BLACK OXIDE FITTINGS

HAND SWAGE ROUND DOME STUD – STAINLESS STEEL T316




PART NO.	A	B	C	D	E	L
T6RHDOME-18-1.5BK	1/8"	7/32"	1.00"	19/32"	5/32"	1-1/2"
T6RHDOME-316-1.5BK	3/16"	9/32"	1.00"	19/32"	5/32"	1-1/2"

HAND SWAGE TOGGLE JAW – STAINLESS STEEL T316





PART NO.	A (CABLE SIZE)	B	C	D
T6HTST-18BK	1/8"	0.38"	3-1/2"	0.23"
T6HTST-316BK	3/16"	0.38"	3-3/4"	0.23"

HAND SWAGE JAW STUD – STAINLESS STEEL T316



PART NO.	A (CABLE SIZE)	B	C	D
T6HJST-18BK	1/8"	0.20"	0.28"	2.15"
T6HJST-316BK	3/16"	0.31"	0.38"	2.75"


HAND SWAGE DECK TOGGLE – STAINLESS STEEL T316




PART NO.	A (CABLE SIZE)	B	C	L
T6HDTST-18BK	1/8"	1/4"	1-3/8"	3"
T6HDTST-316BK	3/16"	1/4"	1-3/8"	3-1/4"

BLACK OXIDE FITTINGS


HAND SWAGE JAW AND LIFE LINE STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

 						
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHLJST14-18BK	1/8"	1/4"-20	3-3/4"	0.42"	0.32"	0.23"
T6PBHLJST14-316BK	3/16"	1/4"-20	3-3/4"	0.42"	0.32"	0.23"


HAND SWAGE JAW AND WRENCH FLAT STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

 						
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHSJST14-18BK	1/8"	1/4"-20	3-3/4"	0.42"	0.32"	0.23"
T6PBHSJST14-316BK	3/16"	1/4"-20	3-3/4"	0.42"	0.32"	0.23"

HAND SWAGE TOGGLE JAW & LIFE LINE STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

 						
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHLTST14-18BK	1/8"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBHLTST14-316BK	3/16"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"

HAND SWAGE TOGGLE JAW & WRENCH FLAT STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316


 						
PART NO.	C (CABLE SIZE)	A (THREAD)	B	D	E	P
T6PBHSTST14-18BK	1/8"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"
T6PBHSTST14-316BK	3/16"	1/4"-20	3-3/4"	0.70"	0.41"	0.23"

BLACK OXIDE FITTINGS

HAND SWAGE DECK TOGGLE & LIFELINE STEEL T316




STUD W/PIPE BODY TURNBUCKLE – STAINLESS




PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBHLDTST14-18BK	1/8"	1/4"-20	3-3/4"	0.25"
T6PBHLDTST14-316BK	3/16"	1/4"-20	3-3/4"	0.25"

HAND SWAGE DECK TOGGLE & WRENCH FLAT STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316




PART NO.	C (CABLE SIZE)	A (THREAD)	B	D
T6PBHSDTST14-18BK	1/8"	1/4"-20	3-3/4"	0.25"
T6PBHSDTST14-316BK	3/16"	1/4"-20	3-3/4"	0.25"

HAND SWAGE DROP PIN & LIFE LINE STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316



PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHLDPST14-18BK	1/8"	1/4"-20	3-3/4"	0.212"
T6PBHLDPST14-316BK	3/16"	1/4"-20	3-3/4"	0.25"

HAND SWAGE DROP PIN & WRECH FLAT STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHSDPST14-18BK	1/8"	1/4"-20	3-3/4"	0.212"
T6PBHSDPST14-316BK	3/16"	1/4"-20	3-3/4"	0.25"

BLACK OXIDE FITTINGS

HAND SWAGE LAG & LIFE LINE STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHLLST14-18BK	1/8"	1/4"-20	3-3/4"	8-1/8"
T6PBHLLST14-316BK	3/16"	1/4"-20	3-3/4"	8-1/8"

HAND SWAGE LAG & WRECH FLAT STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

				
PART NO.	C (CABLE SIZE)	A (THREAD)	B	H
T6PBHSLST14-18BK	1/8"	1/4"-20	3-3/4"	8-1/8"
T6PBHSLST14-316BK	3/16"	1/4"-20	3-3/4"	8-1/8"

HAND SWAGE (LIFE LINE) STUD & STUD W/PIPE BODY TURNBUCKLE – STAINLESS STEEL T316



				
PART NO.	F (CABLE SIZE)	A (THREAD)	B	C
T6PBHLSST14-18BK	1/8"	1/4"-20	3-3/4"	8-1/2"

BLACK OXIDE PIPE BODY TURNBUCKLE – STAINLESS STEEL T316

		
PART NO.	A (THREAD)	B (TOTAL LENGTH)
T6PB-14BK	1/4"-20	3-3/4"


BLACK OXIDE FITTINGS

HEX NUT UNC STANDARD – STAINLESS STEEL T316




PART NO.	THREAD	A	H
T6HXNUT-14R-BK (RIGHT)	RIGHT HAND	1/4"-20	0.22"

CAP NUT – UNC STANDARD THREAD – STAINLESS STEEL T316




PART NO.	THREAD	A	H
T6CPNUT-14RBK (RIGHT)	RIGHT HAND	1/4"-20	1/2"

ROUND CAP FOR JAM NUT – STAINLESS STEEL T316



PART NO.	A (THREAD)	B	C
T6RJNUT-14RBK (Right)	1/4"-20	5/8"	7/16"


FLAT DOME CAP FOR JAM NUT – STAINLESS STEEL T316



PART NO.	A (THREAD)	B	C
T6FJNUT-14RBK (Right)	1/4"-20	5/8"	7/16"


BLACK OXIDE FITTINGS

PROTECTIVE SLEEVES – 1/8" 5/32" & 3/16" CABLE – STAINLESS STEEL T316




PART NO.	A	B	C	D	L
T6PROSLV-BK	1/8", 5/32", 3/16"	0.21"	0.28"	0.50"	0.80"

ANGLED WASHER - 30° & 33° - STAINLESS STEEL T316



PART NO.	DEGREES	A	B
T6AGWASHER30-14BK	30°	1/4"	5/8"
T6AGWASHER33-14BK	33°	1/4"	5/8"
T6AGWASHER33-38BK	33°	3/8"	5/8"
T6AGW33-38INVBK*	33°	3/8"	19/32"

FLAT WASHER – STAINLESS STEEL T316




PART NO.	THREAD SIZE	A	B
T6FLWASHER-14-58BK	1/4"	5/8"	0.258"

*TO BE USED WITH INVISIBLE RECEIVER

BLACK OXIDE FITTINGS

WOOD SCREW – 2" – STAINLESS STEEL T316



PART NO.	A	B	L
T6SCR14-2BK	0.16" (#8)	0.32"	2"

1/8" 1X19 CABLE – STAINLESS STEEL T316



PART NO.	SIZE	CONSTRUCTION	WLL (LBS)	APPROX. WT/100FT (LBS)
T6WR119-18	1/8"	1x19	420	3.50
T6WR119-316	3/16"	1x19	940	7.70

REFERENCE INFORMATION

SWAGE DIMENSIONS		
CABLE SIZE	BEFORE SWAGE (INCH)	AFTER SWAGE (INCH)
3/32"	0.213 - 0.218	0.185 - 0.19
1/8"	0.245 - 0.25	0.214 - 0.219
1/8" HAND SWAGE	0.213 - 0.218	0.185 - 0.19
5/32"	0.292 - 0.297	0.245 - 0.25
3/16"	0.354 - 0.359	0.308 - 0.313
3/16" HAND SWAGE	0.292 - 0.297	0.245 - 0.25
7/32"	0.422 - 0.427	0.368 - 0.375
1/4"	0.489 - 0.494	0.431 - 0.438
9/32"	0.558 - 0.563	0.492 - 0.500
5/16"	0.630 - 0.635	0.554 - 0.563
3/8"	0.698 - 0.703	0.618 - 0.625
7/16"	0.773 - 0.781	0.680 - 0.688
1/2"	0.839 - 0.844	0.741 - 0.75
9/16"	0.979 - 0.984	0.866 - 0.875
5/8"	1.104 - 1.109	0.990 - 1.000
3/4"	1.354 - 1.359	1.238 - 1.250
7/8"	1.583 - 1.593	1.425 - 1.437
1"	1.802 - 1.812	1.613 - 1.625

REFERENCE INFORMATION

CONVERSION CHART – FRACTION – DECIMAL – METRIC

FRACTION	DECIMAL	METRIC
1/64	0.015625	0.397 MM
1/32	0.031250	0.794 MM
3/64	0.046880	1.191 MM
1/16	0.062500	1.588 MM
5/64	0.078130	1.985 MM
3/32	0.093750	2.381 MM
7/64	0.109380	2.778 MM
1/8	0.125000	3.175 MM
9/64	0.140630	3.572 MM
5/32	0.156250	3.969 MM
3/16	0.187500	4.763 MM
7/32	0.218750	5.556 MM
1/4	0.250000	6.350 MM
9/32	0.281250	7.144 MM
5/16	0.312500	7.938 MM
3/8	0.375000	9.525 MM
7/16	0.437500	11.113 MM
1/2	0.500000	12.700 MM
9/16	0.562500	14.288 MM
5/8	0.625000	15.875 MM
11/16	0.687500	17.463 MM
3/4	0.750000	19.050 MM
7/8	0.875000	22.225 MM
1	1.000000	25.400 MM

REFERENCE INFORMATION

THREAD PITCH CHART		
UNITED COARSE THREAD (UNC)	UNITED FINE THREAD (UNF)	METRIC
1/4X20	1/4X28	1/4X25.5
5/16X18	5/16X24	5/16X20
3/8X16	3/8X24	3/8X17
7/16X14	7/16X20	-
1/2X13	1/2X20	1/2X14.5
5/8X11	5/8X18	5/8X12.7
3/4X10	3/4X16	3/4X10
7/8X9	7/8X14	7/8X10
1X8	1X14	1X8.5
1-1/8"X7	1-1/8 X12	-
1-1/4 X7	1-1/4 X12	-
1-1/2 X6	1-1/2 X12	-

NOTES

Southwest Cable Railing



Address: 116 East Live Oak Ave #847
Arcadia CA 91006
Telephone: (626) 806-8773
www.swcablerailing.com